

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1284	(receiv\$5 near5 (content or data)) and (decod\$5 near5 (data or content)) and (compar\$5 near5 address) and (group near5 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:06
S2	681	S1 and (stored near address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:46
S3	8	S2 and (video near3 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:53
S4	1	"5128766".PN.	USPAT; USOCR	OR	ON	2005/04/14 09:32
S5	2	"20020120860"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:53
S6	2	"20020120760"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:54
S7	2	"5778174".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:42
S8	1	pinhole and (firewall near5 controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:45
S9	194	(firewall near5 controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:46
S10	4	S9 AND (request\$5 near5 ((open\$4 near2 connection) or pinhole))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:47

EAST Search History

S11	31	S9 AND (request\$5 near5 ((establish\$4 or open\$4 near2 connection) or pinhole))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 11:48
S12	6	S9 AND (request\$5 near5 (((establish\$4 or open\$4) near2 connection) or pinhole))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:15
S13	1	S9 AND (request\$5 near5 (((clos\$5 and open\$4) near2 connection) or pinhole))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:16
S14	7	S9 AND (((clos\$5 and open\$4) near2 connection) or pinhole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:19
S15	22	address and (request\$5 near10 ((open\$5 or clos\$5) near4 firewall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:36
S16	1	(firewall near controller) same (request\$5 near10 ((open\$5 or clos\$5) near4 firewall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:36
S17	1	(firewall near controller) and (request\$5 near10 ((open\$5 or clos\$5) near4 firewall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:36
S18	1	(firewall near controller) and (request\$5 near20 ((open\$5 or clos\$5) near10 firewall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:37
S19	55	(request\$5 near20 ((open\$5 or clos\$5) near10 firewall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:37
S20	54	S19 not S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:37

EAST Search History

S21	5	S20 and switch and gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:38
S22	3	S1 and ((stored near address) same (table near10 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:48
S23	0	S1 and ((stor\$5 near10 (table near5 address)) same (correspond\$5 near10 (encrypt\$5 near3 key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:51
S24	1	S1 and ((stor\$5 near10 (table near5 address)) same (encrypt\$5 near3 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:58
S25	3	S1 and ((stor\$5 near5 table) same (device near5 address)) and (encrypt\$5 near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:03
S26	17	S1 and (conditional near3 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:15
S27	2162	(compar\$4 near4 address) same (table near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:15
S28	58	S27 and ((individual and group) near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:22
S29	12	713/162.ccls. and ((individual and group) near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:59
S30	89	(table near5 address) same (encryption near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:00

EAST Search History

S31	0	(table near5 address) same (corresponding near10 (encryption near3 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:01
S32	5	(table near5 address) same (correspond\$6 near10 (encryption near3 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:05
S33	0	(table near5 (destination near address)) same (correspond\$6 near10 (encryption near3 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:06
S34	7	(table near5 (destination near address)) same (correspond\$6 near10 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:06
S35	7	S34 not S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:14
S36	347	((destination near4 address) near4 packet) near15 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:42
S37	3	S36 and (video near2 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:17
S38	246	S36 and router and (address near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:18
S39	114	S38 and (compar\$5 near5 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:24
S40	4	S39 and (decod\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:25

EAST Search History

S41	80	((destination near4 address) near4 packet) near15 key) and (unicast or multicast) and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:06
S42	77	S41 and indicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:10
S43	3	S42 and ((public or private) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:08
S44	0	S42 and (secret near4 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:09
S45	0	S42 and (hash\$5 near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:21
S46	0	S42 and (hash\$5 near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:10
S47	1	S41 and (hash\$5 near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:10
S48	28	S41 and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:20
S49	0	"l48" and (hash\$5 near5 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:21
S50	80	((destination near4 address) near4 packet) near15 key) and (unicast or multicast) and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:21

EAST Search History

S51	28	S50 and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:21
S52	0	S51 and (hash\$5 near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:22
S53	0	S51 and (hash\$5 near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:22
S54	0	S51 and (hash\$5 near10 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 07:49
S55	2	multicast\$5 same (mask near5 sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 07:51
S56	6	(compar\$5 near5 address) same (mask near5 sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 07:58
S57	2093	(decod\$6 near5 data) and ((even or odd) near3 parity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 09:48
S58	6	S57 and (hash\$5 near5 address) and (compar\$5 near5 address) and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 09:50
S59	2	S57 and (hash\$5 near5 address) and ((receiv\$5 near5 packet) same (compar\$5 near5 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 09:52
S60	8	S57 and ((receiv\$5 near5 packet) same (compar\$5 near5 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 09:52

EAST Search History

S61	6	S60 not S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 09:55
S62	20	(encoder and (attach\$5 near5 flag)) and (compar\$6 near5 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 11:24
S63	2	"5659615".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 11:24
S64	2	"5659615".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 11:59
S65	9	(determin\$5 near5 (encod\$5 and decod\$5)) and ((compar\$5 and hash\$5) near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 12:06
S66	0	(packet near10 (determin\$5 near5 (encod\$5 and decod\$5))) and ((compar\$5 and hash\$5) near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 12:07
S67	0	(packet near10 (determin\$5 near5 (ecrypt\$5 and decrypt\$5))) and ((compar\$5 and hash\$5) near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 12:08
S68	0	(receiv\$5 near5 packet) and ((detect\$4 or determin\$50) near10 (ecrypt\$5 and decrypt\$5)) and ((compar\$5 and hash\$5) near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 12:09
S69	7	(receiv\$5 near5 DATA) and ((detect\$5 or determin\$5) near10 (encrypt\$5 and decrypt\$5)) and ((compar\$5 and hash\$5) near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 12:13
S70	4	(receiv\$5 near5 DATA) and ((encrypt\$5 and decrypt\$5) near5 (flag or indicator or field)) and ((compar\$5 and hash\$5) near10 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 11:49

EAST Search History

S71	9	((even or odd) adj1 period) near5 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 09:26
S72	0	S71 and (group same (address near5 mask))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:54
S73	0	S71 and ((address near5 mask))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:54
S74	2	"20030126468"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 10:10
S75	2	"6158007".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 13:24
S76	1	"5940591".PN.	USPAT; USOCR	OR	ON	2006/03/02 10:11
S77	1	"5937159".PN.	USPAT; USOCR	OR	ON	2006/03/02 10:12
S78	1	"5511122".PN.	USPAT; USOCR	OR	ON	2006/03/02 10:12
S79	2	"20030126464"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:24
S80	2	"20030110374"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:51
S81	1483	(certificate near5 authority) and (public adj1 key) and (secret adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:58

EAST Search History

S82	2031	(odd or even) adj1 period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:59
S83	600	((odd or even) near8 ((encryption or decryption) adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:59
S84	115	S83 and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:59
S85	4	S84 and (compar\$5 near5 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 15:08
S86	13	S84 and (mask\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 15:08
S87	13	S86 not S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 15:08
S88	600	((odd or even) near8 ((encryption or decryption) adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:48
S89	115	S88 and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:56
S90	45	S89 and ((public or private) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:49
S91	22	S90 and (indicator or flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:57

EAST Search History

S92	0	S89 and 09/869515	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:56
S93	0	09/869515	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:57
S94	0	09/869,515	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:57
S95	0	S91 and (intended adj1 group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:57
S96	0	S91 and (intended near10 group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:58
S97	2	S91 and (device near5 group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:58
S98	3	"6557104".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:09
S99	49324	compar\$5 near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:10
S10 0	1374	S99 and (compar\$5 near5 mask)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:32
S10 1	0	S100 and ((even and odd) near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:13

EAST Search History

S10 2	55	S100 and ((even or odd) near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:18
S10 3	31	S100 and ((even or odd) near3 period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:24
S10 4	770	sony and ((even or odd) near3 period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:27
S10 5	1	S104 and (compar\$5 near5 mask)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:25
S10 6	15	S104 and (compar\$5 near5 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:25
S10 7	7	sony and (((even or odd) near3 period) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:30
S10 8	0	sony and (((even or odd) adj1 period) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:30
S10 9	129	S99 and ((compar\$5 near5 mask) same group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:32
S11 0	0	S109 and @pd<"1991105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:33
S11 1	36	S109 and @pd<"19991105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 09:27

EAST Search History

S11 2	34692	(group near5 (address or mask))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 09:28
S11 3	13224	S112 and ((decod\$5 or decrypt\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 09:32
S11 4	2039	S113 and (address near5 (resol\$6 or translat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 09:31
S11 5	1868	S114 and (transfer\$5 or transmit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 09:32
S11 6	1858	S114 and (transfer\$5 or forward\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 09:32
S11 7	234	S116 and ((decod\$5 or decrypt\$5) same ((public or private) near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 09:33
S11 8	46	S117 and (broadcast\$5 and unicast\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 09:40
S11 9	196	S117 and (group near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:02
S12 0	2	"6154839".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:10
S12 1	2	"5659615".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:12

EAST Search History

S12 2	14	((even and odd) near3 period) same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:13
----------	----	---	---	----	----	------------------